

Dr. Guoquan Wang

April 15, 2022

Department of Earth and Atmospheric Sciences
University of Houston, Houston, TX 77204
Phone: 713-743-3224; Email: gwang@uh.edu

EDUCATION

- 07/1998—06/2001: Ph.D. in Solid Earth Geophysics, Institute of Geology, China Earthquake Administration, Beijing, China.
- 07/1996—06/1998: M.S. in Hydrogeology and Engineering Geology, Nanjing University, Nanjing, China.
- 08/1992—06/1996: B.S. in Geology, China University of Geosciences, Wuhan, China.

PROFESSIONAL EXPERIENCE

- 09/2018---Present: Professor, Department of Earth and Atmospheric Sciences, University of Houston, Texas, USA.
- 09/2018---Present: Adjunct Professor, College of Civil Engineering, Beijing University of Technology, Beijing, China
- 01/2015---Present: Assistant Director, University of Houston Coastal Center (UHCC), Texas, USA.
- 09/2014---08/2018: Associate Professor, Department of Earth and Atmospheric Sciences, University of Houston, Texas, USA.
- 09/2011---08/2014: Assistant Professor, Department of Earth and Atmospheric Sciences, University of Houston, Texas, USA.
- 07/2011—08/2011: Associate Professor, Department of Geology, University of Puerto Rico at Mayaguez, Puerto Rico, USA (Tenured on 7/1/2011).
- 08/2006—06/2011: Assistant Professor, Department of Geology, University of Puerto Rico at Mayaguez, Puerto Rico, USA.
- 07/2004—07/2006: Research Associate, Applied Geophysical Science Laboratories, College of Arts and Sciences, North Carolina A&T State University, North Carolina, USA.
- 01/2004—06/2004: Visiting Research Scholar, Multidisciplinary Center for Earthquake Engineering Research (MCEER), University of New York at Buffalo, New York, USA.
- 06/2001—12/2003: Postdoctoral Scholar, Institute of Geophysics, Department of Geosciences, University of Munich, Germany.

MAJOR AWARDS

NSF CAREER (2009)

American Society of Civil Engineering (ASCE) Outstanding Reviewer (2015)

University of Houston Teaching Excellence Award for Group Teaching (2019)

RESEARCH INTERESTS

- (1) Coastal hazards (e.g., sea-level change, faulting, subsidence, wetland loss) along the Gulf Coast area
- (2) Caribbean neotectonics
- (3) GPS seismology, strong earthquake ground motion
- (4) Applications of GPS and LIDAR technologies in natural hazards studies
- (5) Geological hazard risk analysis and mitigation
- (6) Structural health monitoring
- (7) Numerical modeling---Numerical 3D simulation (e.g., Parallel Super-Computer Numerical Simulation, MPI and Finite Difference Method)

MAJOR REPRESENTATIVE PEER-REVIEWED JOURNAL PUBLICATIONS

(*denotes graduate student/postdoc under my primary supervision)

- (1) **Wang G.** (2022). A methodology for long-term offshore structural health monitoring using stand-alone GNSS: case study in the Gulf of Mexico. *Journal of Structural Health Monitoring* (Under peer review)
 - (2) **Wang G.** (2022). Seasonal Subsidence and Heave Recorded by Borehole Extensometers in Houston, Texas. *J. Surv. Eng.* (Under peer review).
 - (3) Cornelison*, B., and G. **Wang** (2022). GNSS_Vel_95CI.py: a Python module for calculating the uncertainty of GNSS-derived site velocity. *J. Surv. Eng.* (Under peer review).
 - (4) **Wang, G.**, A. Greuter, C. M. Petersen, and M. J. Turco (2022). Houston GNSS network (HoustonNet) for subsidence and faulting monitoring: data analysis methods and products. *J. Surv. Eng.* [http://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000399](http://doi.org/10.1061/(ASCE)SU.1943-5428.0000399)
-
- (1) **Wang G.**, Bao Y. (2021). GNSS landslide monitoring aligned to regional reference frames (基于区域参考框架的 GNSS 滑坡监测). *Acta Geodaetica et Cartographica Sinica*. (in press)
 - (2) **Wang G.** (2021). The 95% confidence interval of GNSS-derived site velocities. *J. Surv. Eng.* 148 (1): 04021030. [http://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000390](http://doi.org/10.1061/(ASCE)SU.1943-5428.0000390).

- (3) Wang, K*.., G. **Wang**, B. Cornelison, H. Liu, and Y. Bao (2021). Land subsidence and aquifer compaction in Montgomery County, Texas, U.S.: 2000–2020. *Geoenviron. Disasters* 8, 28 (2021). <https://doi.org/10.1186/s40677-021-00199-7>
- (4) Zhou X*.., **Wang G.**, Wang K., Liu H., Lyu H., and Turco M. J. (2021). Rates of Natural Subsidence and Submergence Along the Texas Coast Derived from GPS and Tide Gauge Measurements (1904-2020). *J. Surv. Eng.* 147 (4): 04021020. [https://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000371](https://doi.org/10.1061/(ASCE)SU.1943-5428.0000371)
- (5) Bao Y., **Wang G.**, Yu X., Zhao R., Xiao G., Xu J., Gan W. (2021). Northeast China Stable Reference Frame: NEChina20 (东北稳定参考框架 NEChina20). *Geodesy & Geodynamics*, 41(9): 899-910. <http://www.jgg09.com/CN/Y2021/V41/I9/899>
- (6) Bao Y., Yu X., **Wang G.**, Zhou H., Ding X., Xiao G., Shen S., Zhao R., Gan W. (2021). SChina20: A stable geodetic reference frame for ground movement and structural deformation monitoring in South China. *J. Surv. Eng.*, 147(3): 04021006. [https://doi.org/10.1061/\(ASCE\)SU.1943-175428.0000352](https://doi.org/10.1061/(ASCE)SU.1943-175428.0000352)
- (7) Bao Y., **Wang G.**, Yu X., Xiao G., Ding X., Zhao R., and Gan W. (2020). Establishment and application of the stable North China reference frame: NChina20 (华北稳定参考框架 NChina20 的建立及应用), *Earthquake Research in China*, 36 (4): 788-805. <http://zgdz.eq-j.cn/html/2020/4/20200412.htm>
- (8) Ke* X., Xie J., Zhang Z., Zou Y., and **Wang G.** (2020). Quaternary Stratigraphic Division and Paleoenvironmental Evolution Observed from Core LZK1 on Hengsha Island, Shanghai. *Acta Geologica Sinica* (English Edition), 94(4): 1167–1177. <https://doi.org/10.1111/1755-6724.14564>
- (9) Guo* W., Li P., Bao Y., Zhang M., Gao Y., **Wang G.**, Li R., and Duan X. (2020). High-accuracy GPS Monitoring of Riverbed Deformation Due to Shield Tunneling, *J. of Beijing Uni. of Technology*, 46(5):490-499. <https://doi.org/10.11936/bjutxb2019030019>
- (10) Guo* W., **Wang G.**, Bao Y., Zhang M., Sun X., Zhao R., and Gan W. (2020). Tilt and Settlement Monitoring of High-rise Buildings Using GNSS Precise Point Positioning and Seasonal Ground Deformation. *Geomatics and Information Science of Wuhan University*, 45(07): 1043-1051. <https://doi.org/10.13203/j.whugis20190015>
- (11) Zhao R., **Wang G.**, Yu X., Sun X., Bao Y., Xiao G., Gan W., and Shen S. (2020). Rapid Land Subsidence in Tianjin, China Derived from Continuous GPS Observations

(2010–2019), *Proc. IAHS-the International Association of Hydrological Sciences*, 382, 241-247. <https://doi.org/10.5194/piahs-382-241-2020>

- (12) Agudelo* G., Wang G., Liu Y., Bao Y., and Turco M.J. (2020). GPS geodetic infrastructure for subsidence and fault monitoring in Houston, Texas, USA. *Proc. IAHS-the International Association of Hydrological Sciences*, 382, 11-18. <https://doi.org/10.5194/piahs-382-11-2020>
- (13) Wang G., Zhou X., Wang K., Ke X., Zhang Y., Zhao R., and Bao Y. (2020). GOM20: A Stable Geodetic Reference Frame for Subsidence, Faulting, and Sea-Level Rise Studies along the Coast of the Gulf of Mexico, *Remote Sensing* 12 (3), 350. <https://doi.org/10.3390/rs12030350>
- (14) Xiong* L., Wang G., Bao Y., Zhou X., Wang K., Liu H., Sun X., and Zhao R. (2019). A Rapid Terrestrial Laser Scanning Method for Coastal Erosion Studies: A Case Study at Freeport, Texas, USA, *Sensors* 19 (15), 3252. <https://doi.org/10.3390/s19153252>
- (15) Guo* W., Wang G., Bao Y., Li P., Zhang M., Gong Q., Li R., Gao Y., and Zhao R. (2019). Detection and Monitoring of Tunneling-Induced Riverbed Deformation Using GPS and BeiDou: A Case Study. *Applied Sciences* 9 (13), 2759. <https://doi.org/10.3390/app9132759>
- (16) Liu* Y., Sun X., Wang G., Turco M.J., Agudelo G., Bao Y., Zhao R., and Shen S. (2019). Current Activity of the Long Point Fault in Houston, Texas Constrained by Continuous GPS Measurements (2013–2018), *Remote Sens.* 11 (10), 1213. <https://doi.org/10.3390/rs11101213>
- (17) Wang G., Liu H., Mattioli G., Miller M., Feaux K., Braun J. (2019). CARIB18: A Stable Geodetic Reference Frame for Geological Hazard Monitoring in the Caribbean Region. *Remote Sens.* 2019, 11(6), 680. <https://doi.org/10.3390/rs11060680>
- (18) Kearns* T. J., Wang G., Turco M., Welch J., and Tsibanos V. (2019). Houston16: A stable geodetic reference frame for subsidence and faulting study in the Houston metropolitan area, Texas, U.S. *Geodesy & Geodynamics*, 10(5), 382-393. <https://doi.org/10.1016/j.geog.2018.05.005>
- (19) Xiong* L., Wang G., Bao Y., Zhou X., Sun X., Zhao R. (2018). Detectability of Repeated Airborne Laser Scanning for Mountain Landslide Monitoring. *Geosciences* 2018, 8(12), 469. <https://doi.org/10.3390/geosciences8120469>
- (20) Wang G., Bao Y., Gan W., Geng J., Xiao G., and Shen J. S. (2018). NChina16: A

stable geodetic reference frame for geological hazard studies in North China. *Journal of Geodynamics*. 115(2018), 10-22. <https://doi.org/10.1016/j.jog.2018.01.003>

- (21) Bao* Y., Guo W., **Wang G.**, Gan W., Zhang M., and Shen J. S. (2018). Millimeter-Accuracy Structural Deformation Monitoring Using Stand-Alone GPS: Case Study in Beijing, China. *J. Surv. Eng.* 144(1), 05017007. [https://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000242](https://doi.org/10.1061/(ASCE)SU.1943-5428.0000242)
- (22) **Wang G.**, Turco M., Soler T., Kearns T., and Welch, J. (2017). Comparisons of OPUS and PPP solutions for subsidence monitoring in the greater Houston area. *J. Surv. Eng.* 143(4), 05017005. [https://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000241](https://doi.org/10.1061/(ASCE)SU.1943-5428.0000241)
- (23) Zhou* X., **Wang G.**, Bao Y., Xiong L., Guzman V., and Kearns T. J. (2017). Delineating Beach and Dune Morphology from Massive Terrestrial Laser Scanning Data Using the Generic Mapping Tools, *J. Surv. Eng.*, 143(4), 04017008. [https://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000223](https://doi.org/10.1061/(ASCE)SU.1943-5428.0000223)
- (24) Xiong* L., **Wang G.**, and Wessel P. (2017). Anti-aliasing filtering for deriving high-accuracy DEMs from TLS data: case study at Freeport, Texas, *Computers & Geosciences*, 100, 125-134. <https://doi.org/10.1016/j.cageo.2016.11.006>
- (25) Yu* J., and **Wang G.** (2017). Introduction to the GNSS Geodetic Infrastructure in the Gulf of Mexico Region. *Survey Review*, 352(49), 51-65. <https://doi.org/10.1080/00396265.2015.1108069>
- (26) Lyu H., Wang G., Shen J. S., Lu L., and **Wang G.** (2016). Analysis and GIS mapping of flooding hazards on 10 May 2016, Guangzhou, China. *Water*, 447(8), <https://doi.org/10.3390/w8100447>
- (27) Yang* L., **Wang G.**, Huerfano V., von Hillebrandt-Andrade C. G., Martínez-Cruzado J. A., and Liu H. (2016). GPS Geodetic Infrastructure for Natural Hazards Study in the Puerto Rico and Virgin Islands Region, *Natural Hazards*, 83(1), 641-665. <https://doi.org/10.1007/s11069-016-2344-7>
- (28) Soler T., and **Wang G.** (2016). Interpreting OPUS-Static Results Accurately, *J. Surv. Eng.*, 142(4), 05016003. [https://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000191](https://doi.org/10.1061/(ASCE)SU.1943-5428.0000191)
- (29) Yu* J., and **Wang G.** (2016). GPS derived ground motions (2005–2014) within the Gulf of Mexico region referred to a stable Gulf of Mexico reference frame. *Natural Hazards and Earth System Sciences*, 16(7), 1583-1602. <https://doi.org/10.5194/nhess-16-1583-2016>
- (30) Yang* L., **Wang G.**, Bao Y., Kearns T. J., and Yu J. (2016). Comparisons of

Ground-Based and Building-Based CORS: a Case Study in the Puerto Rico and Virgin Islands Region. *J. Surv. Eng.*, 142(3), 05015006. [https://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000155](https://doi.org/10.1061/(ASCE)SU.1943-5428.0000155)

- (31) **Wang G.**, Welch J., Kearns T. J., Yang L., and Serna J. (2015). Introduction to GPS geodetic infrastructure for land subsidence monitoring in Houston, Texas, U.S.A. The proceeding of the Ninth International Symposium on Land Subsidence, Nov. 15-19, 2015, Nagoya, Japan. *Proc. IAHS*, 371, 297-303. <http://doi.org/10.5194/piahs-372-297-2015>
- (32) Liu* H., and **Wang G.** (2015). Delineating relative motion between St. Croix and the Puerto Rico-Virgin Islands block using continuous GPS observations (1995-2014). *International Journal of Geophysics*, 915753:1-9. <https://doi.org/10.1155/2015/915753>
- (33) **Wang G.**, Bao Y., Cuddus Y., Jia X., Serna J. J., and Jing Q. (2015). A methodology to derive precise landslide displacements from GPS observations in tectonically active and cold regions: A case study in Alaska. *Natural Hazards*, 77:1939-1961. <https://doi.org/10.1007/s11069-015-1684-z>
- (34) Kearns* T. J., **Wang G.**, Bao Y., Jiang J., and Lee D. (2015). Current Land Subsidence and Groundwater Level Changes in the Houston Metropolitan Area, Texas (2005-2012). *J. Surv. Eng.*, 141(4), 05015002:1-16. [https://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000147](https://doi.org/10.1061/(ASCE)SU.1943-5428.0000147)
- (35) Antuna J. C., M. Miller, G. Mattioli, K. Feaux, R. Anthes, J. Braun, **G. Wang**, and A. Robock (2014). Partnering with Cuba: Weather extremes, *Science*, Vol. 345, ISSUE6194, 278. <http://doi.org/10.1126/science.345.6194.278-a>
- (36) Yu* J., **Wang G.**, Kearns T. J., and Yang L. (2014). Is there deep-seated subsidence in the Houston-Galveston area? *Int. J. Geophys.*, 942834, 1-11. <http://doi.org/10.1155/2014/942834>
- (37) **Wang G.**, and T. Soler (2014). Measuring Land Subsidence Using GPS: Ellipsoid Height vs. Orthometric Height, *J. Surv. Eng.*, 141(2), 05014004. [http://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000137](http://doi.org/10.1061/(ASCE)SU.1943-5428.0000137)
- (38) **Wang G.**, J. Yu, T. J. Kearns, and J. Ortega (2014). Assessing the accuracy of long-term subsidence derived from borehole extensometer data using GPS observations: case study in Houston, Texas, *J. Surv. Eng.*, 140(3), 05014001. [https://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000133](https://doi.org/10.1061/(ASCE)SU.1943-5428.0000133)
- (39) **Wang G.**, T. J. Kearns, J. Yu, and G. Saenz (2014). A Stable Reference Frame for Landslide Monitoring Using GPS in the Puerto Rico and Virgin Islands Region,

Landslides, 11(1):119-129. <https://doi.org/10.1007/s10346-013-0428-y>

- (40) **Wang G.**, J. Yu, J. Ortega, G. Saenz, T. Burrough, and R. Neill (2013). A Stable Reference Frame for Ground Deformation Study in the Houston Metropolitan Area, Texas, *Journal of Geodetic Science*, 3(3), 188-202. <https://doi.org/10.2478/jogs-2013-0021>
- (41) **Wang G.**, T. Soler (2013). Using OPUS for Measuring Vertical Displacements in Houston, TX, *J. Surv. Eng.*, 139(3), 126-134. [https://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000103](https://doi.org/10.1061/(ASCE)SU.1943-5428.0000103)
- (42) **Wang G.** (2013). Millimeter-Accuracy GPS Landslide Monitoring Using Precise Point Positioning with Single Receiver Phase Ambiguity Resolution: A Case Study in Puerto Rico, *Journal of Geodetic Science*, 3(1), 22-31. <https://doi.org/10.2478/jogs-2013-0001>
- (43) **Wang G.**, J. Joyce, D. Phillips, R. Shrestha, and W. Carter (2013), Delineating and Defining the Boundaries of an Active Landslide in the Rainforest of Puerto Rico Using a Combination of Airborne and Terrestrial LIDAR Data, *Landslides*, 10(4):503-513. <https://doi.org/10.1007/s10346-013-0400-x>
- (44) **Wang G.** (2013). Teaching High-Precision GPS to Undergraduates Using Online Processing Services, *Journal of Geoscience Education*, 61 (2), 202-212. [https://doi.org/10.9995/2013/61\(2\)/202/11](https://doi.org/10.9995/2013/61(2)/202/11)
- (45) Braun, J. J., E. Calais, K. Dausz, K. Feaux, B. Friesen, G.S. Mattioli, M. M. Miller, J. Normandeau, E. Seider, and **G. Wang** (2012), COCOnet (Continuously Operating Caribbean GPS Observational Network): Infrastructure Enhancements To Improve Sea Level Monitoring, Paper No. 212178, *Geological Society of America* 44(7).
- (46) Braun, J. J., G.S. Mattioli, E. Calais, D. Carlson, T. Dixon, M. Jackson, R. Kursinski, H. Mora-Paez, M.M. Miller, R. Pandya, R. Robertson, and **G. Wang** (2012). Multi-Disciplinary Natural Hazards Research Initiative Begins Across the Caribbean Basin, *EOS transactions, American Geophysical Union*, 93, 9. <https://doi.org/10.1029/2012EO090001>
- (47) **Wang G.**, and T. Soler (2012). OPUS for Horizontal Subcentimeter-Accuracy Landslide Monitoring: A Case Study in the Puerto Rico and Virgin Islands Region, *J. Surv. Eng.*, 138(3):135-143. [https://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000079](https://doi.org/10.1061/(ASCE)SU.1943-5428.0000079)
- (48) **Wang G.**, F. Blume, C. Meertens, P. Ibanez, and M. Schulze (2012). Performance of high-rate kinematic GPS during strong shaking: observations from shake table tests and the 2010 Chile earthquake (M 8.8), *Journal of Geodetic Sciences*, 2(1):1-16.

<https://doi.org/10.2478/v10156-011-0020-0>

- (49) **Wang G.** (2012), Kinematics of the Cerca del Cielo, Puerto Rico landslide derived from GPS observations, *Landslides*, 9 (1):117-130. <https://doi.org/10.1007/s10346-011-0277-5>
- (50) **Wang G.** (2011), GPS Landslide Monitoring: Single Base vs. Network Solutions, a case study based on the Puerto Rico and Virgin Islands Permanent GPS Network, *Journal of Geodetic Sciences*, 1(3): 191-203. <https://doi.org/10.2478/v10156-010-0022-3>
- (51) **Wang G.**, D. Phillips, J. Joyce, and F. O. Rivera (2011). The integration of TLS and Continuous GPS to study landslide deformation: a case study in Puerto Rico, *Journal of Geodetic Science*, 1(1): 25-34. <https://doi.org/10.2478/v10156-010-0004-5>
- (52) **Wang G.**, D. M. Boore, G. Tang, and X.-Y. Zhou (2007). Some observations on colocated and closely spaced 1-second sampled GPS and ground-motion accelerograph data from the 2003 San Simeon (M 6.5), California, earthquake, *Bull. Seism. Soc. Am.* 97, 76-90.
- (53) **Wang G.**, G. Tang, C. R. Jackson, X.-Y. Zhou, and Q. Lin (2006). Strong ground motions observed at the UPSAR during the 2003 San Simeon earthquake (M 6.5) and the 2004 Parkfield earthquake (M 6.0), *Bull. Seism. Soc. Am.* 96, S159-S182.
- (54) **Wang G.**, G. Tang, D. M. Boore, G. V. Burban, C. R. Jackson, X.-Y. Zhou, and Q. Lin. (2006). Strong surface waves observed in the Western Coastal Plain of the Taiwan Island from one aftershock of the 1999 Chi-Chi, Taiwan, Earthquake, *Bull. Seism. Soc. Am.* 96, 821-845.
- (55) **Wang G.**, and X.-Y. Zhou (2006). Three-Dimensional Finite-Difference Simulations of Strong Ground Motions during the 1720 Shacheng Earthquake of Yanhuai Area, Beijing, China using a Stochastic Finite-Fault model, *Soil Dyn. Earthquake. Eng.* 26 (10), 960-982.
- (56) Tong, M., **G. Wang**, and G. C. Lee (2005). Time derivative of earthquake acceleration, *Earthquake Engineering and Engineering Vibration*, 4(1), 1-16.
- (57) **Wang G.**, D. M. Boore, H. Igel, and X.-Y. Zhou (2004). Comparisons of ground motions from five aftershocks of the 1999 Chi-Chi, Taiwan Earthquake with empirical predictions largely based on data from California, *Bull. Seism. Soc. Am.* 94, 2198-2212.
- (58) **Wang G.**, and X. Y. Zhou (2004) Baseline Correction of Near Fault Ground Motion Recordings Caused by 1999 Chi-Chi, Taiwan Earthquake, *Earthquake and Geology*, 26(1), 1-15.

- (59) **Wang G.**, D. M. Boore, H. Igel, and X.-Y. Zhou (2003). Some observations on colocated and closely-spaced strong ground motion records of the 1999, Chi-Chi, Taiwan Earthquake, *Bull. Seism. Soc. Am.* 93, 674-693.
- (60) **Wang G.**, and X. Y. Zhou (2003). The Randomness of Near Fault Acceleration Time History of the 1999 Chi-Chi, Taiwan, Earthquake, *Journal of Hazard Resistant and Mitigation Engineering*, 23 (4), 10-18.
- (61) **Wang G.**, X.-Y. Zhou, P. Z. Zhang, and H. Igel (2002). Characteristics of amplitude and duration for near fault strong ground motion from the 1999 Chi-Chi, Taiwan, Earthquake, *Soil Dyn. Earthquake Eng.*, 22, 73-96.
- (62) **Wang G.**, X.-Y. Zhou, Z. J. Ma, and P. Z. Zhang (2001). A preliminary study on the randomness of response spectra of the 1999 Chi-Chi, Taiwan, Earthquake, *Bull. Seism. Soc. Am.* 91, 1358-1369.
- (63) **Wang G.**, X.-Y. Zhou, Z. J. Ma, and P. Z. Zhang (2001). Data files from a preliminary study on the randomness of response spectra of the 1999 Chi-Chi, Taiwan, Earthquake, *Bull. Seism. Soc. Am.* 91, 1388-1389.
- (64) **Wang G.**, X. Y. Zhou, Z. J. Ma, and D. M. Zeng (2001). The Statistical Properties of Amplitude and Period of Near Fault Ground Motion of 1999 Chi-Chi, Taiwan, Earthquake, *Earthquake Resistant Engineering*, 1,1-10.
- (65) Ma, Z.-J., and G. Wang (1999). Strip-shaped Tectonic Zonation of Contemporary Lithospheric Structure of East China, *Geology Journal of China Universities*, 1, 25-27.
- (66) **Wang G.**, Z. J. Ma, X. Y. Zhou, and G.W. Su (1999). Study on several post-earthquake fires of Japan and America, *Journal of Natural Disasters*, 8 (3), 72-79.
- (67) **Wang G.**, and X. Z. Li (1999). A Preliminary Research on Potential Effect of Underground Engineering on Groundwater Environment, *Engineering Geology*, 7(1), 15-19.
- (68) **Wang G.**, G.-Y. Luo, and X.-Z., Li (1998). Optimization of Construction Scheme of Xuanwu lake Subaqueous Highway Tunnel, *Hydrogeology and Engineering Geology*, 2, 35- 40.
- (69) **Wang G.**, G.-Y. Luo, and X.-Z. Li (1998). Application of Box Culvert Jacking in Xuanwu lake Subaqueous Highway Tunnel Scheme, *Exploration Engineering (Drilling & Tunneling)*, 5, 50-52.

PEER-REVIEWED ARTICLES IN CONFERENCE PROCEEDINGS

- (1) Greuter, A., M. J. Turco, C. M. Petersen, and G. **Wang**. 2021. Impacts of groundwater withdrawal regulation on subsidence in Harris and Galveston counties, Texas, 1978–2020. *GeoGulf Transactions* 71: 109–118.
http://www.i2massociates.com/downloads/2021_GreuterI_Wang_GeoGulf21.pdf
- (2) **Wang G.** and Liu Y. (2018). Develop a Successful Cross-Culture Learning Program, The 2018 AECT International Convention Proceedings, Volume 1, 181-189. The Association for Educational Communications and Technology (AECT), October 23-27, 2018, Kansas City, MO 64106.
https://members.aect.org/pdf/Proceedings/proceedings18/2018/18_22.pdf
- (3) Liu, Y. and **Wang G.** (2017). Acculturation challenges in cross-cultural learning. In J. Dron & S. Mishra (Eds.), *Proceedings of E-Learn: World Conference on E-Learning in Corporate, Government, Healthcare, and Higher Education* (pp. 703-708). Vancouver, British Columbia, Canada: Association for the Advancement of Computing in Education (AACE). <https://www.learntechlib.org/p/181322/>.
- (4) **Wang G.**, J. Welch, T. J. Kearns, L. Yang, and J. Serna (2015), Introduction to GPS geodetic infrastructure for land subsidence monitoring in Houston, Texas, U.S.A. The proceeding of the Ninth International Symposium on Land Subsidence, Nov. 15-19, 2015, Nagoya, Japan. Proc. IAHS, 92, 1–7, 2015. <http://doi.org/10.5194/piahs-92-1-2015>
- (5) Woo, G., **Wang G.**, and Tang G. (2006). Insights from Parkfield array data for probabilistic modeling (Article), Proceedings of 8th U.S. National Conference on Earthquake Engineering, 18-22 April 2006, San Francisco, California. https://www.researchgate.net/publication/237073903_Insights_from_parkfield_array_data_for_probabilistic_risk_modeling
- (6) Su G. W., **Wang G.**, and Ma Z. J. (1998). Some Preliminary Discussion on Natural Disaster Risk and its Assessment, Proceedings of the First China-Japan Conference on Risk Assessment and management, P.224-231.

BOOK REVIEW

Wang G. (2011). A comprehensive reference for OPUS, “GORS and OPUS for Engineers” edited by T. Soler, Monograph of new and collected articles provides first “one-stop” resource for using key National Geodetic Survey services, *Inside GNSS*,

September/October 2011, 93-94. <https://insidegnss.com/a-comprehensive-reference-for-opus/>